Clin. Lab. Haem.
1997, **19**, 321–324

Author Index to Volume 19

Acar A. *see* Acar H.
Acar H. & Acar A. Application of the multicolour FISH to interphase nuclei and metaphase spreads for simultaneous examination of monosomy 7 and trisomies 8 and 11 in acute myelocytic leukaemia (AML), 33
Adams P.T. *see* Khrishan K.
Aguilar-Martinez P. *see* Biron C.
Anaissie E.J. *see* Cohen D.M.
Anevlavis E. *see* Christopoulos C.
Aumatell A. *see* Kearney P.P.
Aydogdu I., Ozerol I.H., Tayfun E. & Harputluoglu M. Autoimmune haemolytic anaemia and thrombocytopenia associated with ciprofloxacin, 223

Baden H. *see* Meiklejohn D.J.
Baird G. *see* Galloway M.
Bartels P.C.M., Schoorl M. & Willekins F.L.A. Evaluation of Sysmex SF-3000 performance concerning interpretive morphology flagging of the leucocyte differential count, 187
Bates A.J. *see* Snowden J.A.
Bath N.E. *see* Peach H.G.
Beaman M. *see* Gorrie M.
Behrens J. *see* Killick S.
Bentley S.A. This little piggy went to market, 81
Bhalla S.C. *see* Cohen D.M.
Bianchi M. *see* Stasi R.
Biron C., Lamarti H., Schved, J-F., Jeanjean P., Masmejean C., Claustres M. & Aguilar-Martinez P. Diagnosis strategies in activated protein C resistance: is genotyping still necessary?, 67
Blann A.D. Neutrophil leucocytosis in atherosclerosis, 225
Bockenstedt P.L. *see* Khrishan K.
Booker D. *see* Snowden J.A.
Boyce M. *see* Gorrie M.
Bromilow I.M. & Duguid J.K.M. Measurement of feto-maternal haemorrhage: a comparative study of three Kleihauer techniques and two flow cytometry methods, 137
Brooks S. *see* Murdock P.J.
Brunetti M. *see* Stasi R.
Bryner M.A., Houwen B., Westengard J. & Klein O. The spun micro-haematocrit and mean red cell volume are affected by changes in the oxygenation state of red blood cells, 99
Burke D.K. *see* Jowitt S.N.
Burnett A.K. *see* Masters G.S.
Bussa S. *see* Stasi R.
Butt N. *see* Clark A.D.

CD4$^+$ T Lymphocyte Working Party & Members Of The General Haematology Task Force Of The BCSH. Guidelines for the enumeration of CD4$^+$ T lymphocytes in immunosuppressed individuals, 231
Cheung G. *see* Murdock P.J.
Christopoulos C., Fortis A., Nikzas D. & Anevlavis E. The place of myeloid growth factors in the treatment of hairy-cell leukaemia, 149
Ciz M. & Lojek A. Improved dextran preparation of human leucocytes for chemiluminesence analysis of the oxidative burst of polymorphonuclear cells, 49
Claeys H. *see* Emonds M.-P.
Clark A.D. & Butt N. Ecstasy induced very severe aplastic anaemia complicated by invasive pulmonary mucormycosis treated with allogeneic peripheral blood progenitor cell transplant, 279
Claustres M. *see* Biron C.
Cohen D.M., Bhalla S.C., Anaissie E.J., Hester J.P., Savary C.A. & Rex J.H. Effects of in vitro and in vivo cytokine treatment, leukapheresis and irradiation on the function of human neutrophils: implications for white blood cell transfusion therapy, 39
Cohen H. *see* Gaminara E.
Cohen H. *see* Taylor F.C.
Conforti M. *see* Stasi R.
Cozzi M.R. *see* Fiorin F.
Cryer R.J. *see* Jowitt S.N.

d'Onofrio G., Kim Y.R., Schulze S., Lorentz T., Dörner K., Goossens W., Zini G., Tommasi M., Kendall R. & Scott C.S. Evaluation of the Abbott Cell DYN 4000 (CD4000) automated fluorescent reticulocyte measurements: comparison with manual, FACScan and Sysmex R1000 methods, 253
Dallalio G. *see* North M.
Daryanani S. & Wilde J.T. Priapism in a patient with protein C deficiency, 213
Davies J.I., Smyth M.S. & Martin J.H.J. Automated reticulocyte counting: evaluation of the Coulter® STKS Haematology Analyser reticulocyte counting function, 89
Day V. *see* Snowden J.A.
De Angelis V. *see* Fiorin F.
Dendievel J. *see* Emonds M.-P.
Dolan G. *see* Myers B.
Donath A.S. *see* North M.
Dörner K. *see* d'Onofrio G.
Duguid J.K.M. *see* Bromilow I.M.
Duncan J.R. *see* Tibble J.A.

© 1997 Blackwell Science Limited

Emonds M.-P., Claeys H., Volckaerts A., Dendievel J. & Vermylen C. An EIA method on single donor solubilized HLA antigens for the identification of anti-HLA antibodies. 129
Evans S.M., Giddings J.C., Muraki T. & Yamamoto J. Expression of von Willebrand Factor, P-selectin (CD62P) and thrombomodulin in human endothelial cells in culture modulated by cyclosporin A. 115

Farish S. *see* Peach H.G.
Faulkner M. *see* Snowden J.A.
Fiorin F., Cozzi M.R., Pradella P., Steffan A., Potenza R. & De Angelis V. An original method to study autoantibody specificity in haemoglobin stained eluates by the column agglutination techniques. 209
Fortis A. *see* Christopoulos C.
Frewin R.J., Provan D. & Smith A.G. Myelodysplasia occurring after fludarabine treatment for chronic lymphocytic leukaemia. 151
Froom P. *see* Kristal-Boneh E.
Fujimoto F. *see* Rowan R.M.

Galloway M., Baird G. & Lennard A. Haematologists in district general hospitals practise evidence based medicine. 243
Gaminara E. *see* Taylor F.C.
Gaminara E., Taylor F.C., Miller D., Gray A., Ramsay M. & Cohen H. Introduction of nurse specialists into the anticoagulant clinic: issues to consider. 287
Giddings J.C. *see* Evans S.M.
Gleeson R.M. An improved method for thick film preparation using saponin as a lysing agent. 249
Goossens W. *see* d'Onofrio G.
Gorrie M., Thomson G., Lewis D.M., Boyce M., Riad H.N., Beaman M. & Nicholls A.J. Dose titration during anti-thymocyte globulin therapy: monitoring by CD3 count or total lymphocyte count?. 53
Grant P.J. *see* Ossei-Gerning N.
Gray A. *see* Gaminara E.
Greaves M. *see* Meiklejohn D.J.

Harari G. *see* Kristal-Boneh E.
Harputluoglu M. *see* Aydogdu I.
Harthoorn-Lasthuizen E.J. *see* Vant Sant P.
Henderson S. *see* Hill G.R.
Henniker J. *see* Iles-Mann J.
Hester J.P. *see* Cohen D.M.
Hickton C. *see* Hill G.R.
Higgs D. *see* Homi J.
Hill G.R., Hickton C., Henderson S. & Patton W.N. The use of low dose Orgaran in heparin-induced thrombocytopenia associated with *in vitro* platelet aggregation at higher Orgaran concentrations. 155
Holland C.V. *see* Taylor M.R.H.
Homi J., Levee L., Higgs D., Thomas P. & Sergeant G. Pulse oximetry in a cohort study of sickle cell disease. 17
Houwen B. *see* Bryner M.A.
Hsieh Y.S. *see* Huang Y.T.
Huang Y.T., Hsieh Y.S., Phan M.C. & Wang L. Evaluation of the quality of HLA antibodies in placental blood. 273

Iles-Mann J. & Henniker J. An evaluation of the differential from the Abbot CD 3500 in a population of patients with haematological abnormalities. 191
Ireland A. *see* Tibble J.A.

Jackson J.F. *see* Taylor M.R.H.
Jacob D. *see* Murdock P.J.
Jeanjean P. *see* Biron C.
Jowitt S.N., Burke D.K., Leggat H.M., Lewis P.S. & Cryer R.J. Pleural effusion secondary to extramedullary haemopoiesis in a patient with idiopathic myelofibrosis responding to pleurodesis and hydroxyurea. 283

Kearney P.P. & Aumatell A. Rapid diagnosis of chronic myeloid leukaemia by linking PCR to capillary gel electrophoresis. 261
Kelleher B. *see* O'Broin S.
Kendall R. *see* d'Onofrio G.
Khrishan K., Ross C.W., Bockenstedt P.L. & Adams P.T. Successful treatment of autoimmune neutropenia with recombinant human granulocyte-colony stimulating factor (R-metHuG-CSF). 105
Killick S., Mercieca J., Nandi A. & Behrens J. Fludarabine-induced tumour lysis in low-grade non-Hodgkin's lymphoma. 79
Kim Y.R. *see* d'Onofrio G.
Klein O. *see* Bryner M.A.
Kristal-Boneh E., Froom P., Harari G. & Ribak J. Seasonal differences in blood cell parameters and the association with cigarette smoking. 177
Kubota K. *see* Kurabayashi H.
Kurabayashi H., Kubota K., Tamura K., Take H. & Shirakura T. Ultrastructure of myeloma cells producing parathyroid hormone-related peptide. 153
Kusters P.F.M.M. *see* Vant Sant P.
Kutzner M. *see* Rowan R. M.

La Presa M. *see* Stasi R.
Lamarti H. *see* Biron C.
Leaning M. *see* Vadher B.
Leggat H.M. *see* Jowitt S.N.
Lennard A. *see* Galloway M.

Levee L. *see* Homi J.
Lewis D.M. *see* Gorrie M.
Lewis P.S. *see* Jowitt S.N.
Lojek A. *see* Ciz M.
Lorentz T. *see* d'Onofrio G.

Maia R.C., Noronha H., Vasconcelos F.C. & Rumjanek V.M. Interaction of cyclosporin A and etoposide. Clinical and *in vitro* assessment in blast phase of chronic myeloid leukaemia, 215
Malaria Working Party Of The General Haematology Task Force Of The British Committee For Standards In Haematology. The laboratory diagnosis of malaria, 165
Mansfield M.W. *see* Ossei-Gerning N.
Martin J.H.J. *see* Davies J.I.
Martin L.S. *see* Stasi R.
Masmejean C. *see* Biron C.
Masters G.S. & Burnett A.K. Serum-free culture of human megakaryocyte progenitors, 61
Mccann: S. *see* O'Broin S.
Means R.T. *see* North M.
Meiklejohn D.J., Baden H. & Greaves M. Sea-blue histiocytosis and pancytopaenia associated with chronic total parenteral nutrition administration, 219
Melink R. *see* North M.
Mellars G. *see* Murdock P.J.
Members Of The General Haematology Task Force Of The BCSH. *see* Cd4$^+$ T Lymphocyte Working Party.
Mercieca J. *see* Killick S.
Miller D. *see* Gaminara E.
Miller D. *see* Taylor F.C.
Monagle P.T. & Tauro G.P. Infantile megaloblastosis secondary to maternal vitamin B_{12} deficiency, 23
Morcom, G. *see* O'Broin S.
Muraki T. *see* Evans S.M.
Murdock P.J., Brooks S., Mellars G., Cheung G., Jacob D., Owens D.L., Parmar M. & Riddell A. A simple monoclonal antibody based ELISA for free protein S. Comparison with PEG precipitation, 111
Myers B. & Dolan G. Parvovirus-induced pancytopenia in a child with acquired haemolytic anaemia, 277
Nandi A. *see* Killick S.
Nicholls A.J. *see* Gorrie M.
Nikzas D. *see* Christopoulos C.
Noronha H. *see* Maia R.C.
North M., Dallalio G., Donath A.S., Melink R. & Means R.T. Serum transferrin receptor levels in patients undergoing evaluation of iron stores: correlation with other parameters and observed versus predicted results, 93

O'Broin S., Kelleher B., O'Connor G., McCann S., Phelps A. & Morcom G. Uniformity of anticoagulation for full blood counting, 159
O'Connor G. *see* O'Broin S.
O'Connor G.I. *see* Taylor M.R.H.
O'Donnell J.R. *see* Taylor M.R.H.
Ossei-Gerning N., Mansfield M.W., Stickland M.H. & Grant P.J. Insulin receptor substrate-1 gene polymorphism and cardiovascular risk in non-insulin dependent diabetes mellitus and patients undergoing coronary angiography, 123
Owens D.L. *see* Murdock P.J.
Ozerol I.H. *see* Aydogdu I.

Pagano A. *see* Stasi R.
Parma A. *see* Stasi R.
Parmar M. *see* Murdock P.J.
Patterson D.L.H. *see* Vadher B.
Patton W.N. *see* Hill G.R.
Peach H.G., Bath N.E. & Farish S. Predictive value of MCV for hazardous drinking in the community, 85
Peake I. Recent advances in blood coagulation, 7th edition edited by L. Poller and C.A. Ludlam, 227
Phan M.C. *see* Huang Y.T.
Phelps: A. *see* O'Broin S.
Poole J. *see* Snowden J.A.
Potenza R. *see* Fiorin F.
Pradella P. *see* Fiorin F.
Provan D. *see* Frewin R.J.

Ramsay M. *see* Gaminara E.
Ramsay M. *see* Taylor F.C.
Reilly J.T. *see* Snowden J.A.
Rex J.H. *see* Cohen D.M.
Riad H.N. *see* Gorrie M.
Ribak J. *see* Kristal-Boneh E.
Richards S. *see* Sivakumaran M.
Riddell A. *see* Murdock P.J.
Reinecke T. *see* Rowan R.M.
Ross C.W. *see* Khrishan K.
Rowan R.M., Kutzner M., Reinecke T. & Fujimoto F. Interference of blood leucocytes in the measurements of immature red cells by two different (semi-) automated flow cytometry technologies, 83
Rumjanek V.M. *see* Maia R.C.

Savary C.A. *see* Cohen D.M.
Schoorl M. *see* Bartels P.C.M.
Schulze S. *see* d'Onofrio G.
Schved, J-F. *see* Biron C.
Scott C.S. *see* d'Onofrio G.
Sergeant G. *see* Homi J.
Sherry K.M. *see* Weatherall M.S.

Shirakura T. *see* Kurabayashi H.
Sivakumaran M. & Richards S. Immunological abnormalities of chronic large granular lymphocytosis, 57
Smith A.G. *see* Frewin R.J.
Smyth M.S. *see* Davies J.I.
Snowden J.A., Poole J., Bates A.J., Faulkner M., Day V., Booker D., Sokol R.J. & Reilly J.T. The Rh_{null} phenotype in an English individual: haematological, serological and immunological studies, 143
Sokol R.J. *see* Snowden J.A.
Spencer R. *see* Taylor M.R.H.
Stasi R., Brunetti M., Bussa S., Conforti M., Martin L.S., La Presa M., Bianchi M., Parma A. & Pagano A. Serum levels of tumour necrosis factor-α predict response to recombinant human erythropoietin in patients with myelodysplastic syndrome, 197
Steffan A. *see* Fiorin F.
Stephens A.D. *see* Wild B.J.
Stickland M.H. *see* Ossei-Gerning N.

Take H. *see* Kurabayashi H.
Tamura K. *see* Kurabayashi H.
Tauro G.P. *see* Monagle P.T.
Tayfun E. *see* Aydogdu I.
Taylor F.C. *see* Gaminara E.
Taylor F.C., Gaminara E., Cohen H., Ramsay M. & Miller D. Evaluation of a nurse specialist anticoagulant service, 267
Taylor M.R.H. Holland C.V., Spencer R., Jackson J.F., O'Connor G.I. & O'Donnell J.R. Haematological reference ranges for schoolchildren, 1
Thomas P. *see* Homi J.
Thomson G. *see* Gorrie M.
Tibble J.A., Ireland A. & Duncan J.R. Acute auto-immune haemolytic anaemia secondary to hepatitis A infection, 73
Tommasi M. *see* d'Onofrio G.

Vadher B., Patterson D.L.H. & Leaning M. Comparison of oral anticoagulant control by a nurse-practitioner using a computer decision-support system with that by clinicians, 203
Vant Sant P., Kusters P.F.M.M. & Harthoorn-Lasthuizen E.J. Dependency of MCV and hemaglobin-concentration on plasma vitamin B_{12} levels in relation to sex and age, 27
Vasconcelos F.C. *see* Maia R.C.
Vermylen C. *see* Emonds M.-P.
Vickers M. Successful use of granulocyte-colony stimulating factor to correct neutropenia in chronic lymphocytic leukaemia, 77
Volckaerts A. *see* Emonds M.-P.

Wang L. *see* Huang Y.T.
Weatherall M.S. & Sherry K.M. An evaluation of the Spuncrit™ infrared analyser for measurement of haematocrit, 183
Westengard J. *see* Bryner M.A.
Wild B.J. & Stephens A.D. The use of automated HPLC to detect and quantitate haemoglobins, 171
Wilde J.T. *see* Daryanani S.
Willekins F.L.A. *see* Bartels P.C.M.

Yamamoto J. *see* Evans S.M.

Zini G. *see* d'Onofrio G.

Clin. Lab. Haem.
1997, **19**, 325–327

Subject Index to Volume 19

AIDS 231
ARDS 278
Acquired haemolytic anaemia 277
Activated protein C resistance 67
Acute myeloid leukaemia 33
Acute tumour lysis syndrome 79
Alcohol surveys 85
Anaemia
  acquired haemolytic 277
  autoimmune haemolytic 73, 223
  aplastic 279
  haemolytic 73
Anti-lymphocyte serum 53
Anti-neutrophil antibodies 105
Anticoagulant clinic 287
Anticoagulation 159
Anticoagulation service 203, 267
Antigenic specificity 273
Aplastic anaemia 279
Atherosclerosis 224
Autoimmune haemolytic anaemia 73, 223
Autoimmune neutropenia 105
Autoimmunity 209
Automated HPLC 171
Automated haematology 89

Blast crises of chronic myelogenous leukaemia 215
Blood group antigens 143
Book reviews, 161, 225, 226

CD4 231
CD3500 191
CD4000 253
Capillary electrophoresis 261
Cardiopulmonary bypass 183
Cardiovascular risk 123
Centrifugation 183
Chronic leukaemia 77
Chronic lymphocytic leukaemia 151
Chronic myeloid leukaemia 261
Ciprofloxacin 223
Class I antibodies 129
Cobalamin 27
Column agglutination techniques 209
Computer, decision support system 203
Coronary artery disease 123
Cost analysis 53
Coulter® STKS HaematologyAnalyser 89
Cyclosporin 115
Cyclosporin A 215

Decision support system 203
Denaturing gradient gel electrophoresis 67
Desaturation 17
Dextran 49
Diagnosis strategy 67
Diagnostic studies 93
Differential, evaluation of 191
Differential leucocyte count 187
Direct antiglobulin test 209

ELISA 111
Ecstasy 279
Eluates 209
Endothelial cells 115
Erythrocytes 99, 209
Erythropoietin 197
Etoposide 215
Evidence-based medicine 243
Extramedullary haemopoiesis 283

Factor V 67
Failure to thrive 23
Ferritin 93
Feto-maternal haemorrhage 137
FISH 33
Fields stain 249
Flagging 191
Flow cytometry 137, 231
Fludarabine 79, 151
Fluorescence 253
Fluoresence *in situ* hybridization 33
Free Protein S 111

G-CSF 39
GM-CSF 39
Graft rejection 53
Granulocyte colony stimulating factor 77, 149

HCT 99
HIV 231
HLA Class I antigens 129
Haematocrit 99, 183
Haematology analyser 187
Haematology reference ranges, children 1
Haemoglobin concentration 27
Haemoglobin measurement 183
Haemoglobinopathy 171
Haemolysis 143

© 1997 Blackwell Science Limited

Haemolytic anaemia 73
Hairy-cell leukaemia 149
Heparin 213
Heparin-induced thrombocytopenia 155
Hepatitis virus 73
Human leucocyte antigen 273
Human leucocytes 49
Human platelets 129

IFN-gamma 39
IL-11 61
IL-6 61
Immunoglobulins 57
Infantile megaloblastosis 23
Infra-red analyser 183
Insulin receptor substrate-1 123
Interleukin-1β 197
Iron deficiency 93

Kidney transplantation 53
Kleihauer test 137

Laboratory diagnosis of malaria 165
Large granular lymphocytes 57
Leucocyte transfusions 39
Leukaemia
  acute myeloid 33
  chronic 77
  chronic lymphocytic 151
  chronic myeloid 215, 261
  hairy-cell 149
Lymphocytotoxicity test 273

Malaria 165
Malarial parasites 249
Maternal B_{12} deficiency 23
Mean cell volume 27, 85, 99
Megakaryocyte progenitor 61
Megaloblastosis, infantile 23
Monoclonal precision 111
Monosomy 7 33
Mucormycosis 279
Multidrug resistance 215
Multiple myeloma 153
Myelodysplasia 151
Myelodysplastic syndrome 197
Myelofibrosis 283

NE-8000 187
Natural killer cells 57
Near-patient testing 183
Neutrophil leucocytosis 224
Neutropenia 77, 149
Non-Hodgkin's lymphoma 79
Non-insulin dependent diabetes mellitus 123
Nurse-practitioner 203
Nurse-specialist, evaluation of 267, 287

Orgaran cross-reactivity 155
Oximetry 17
Oxygen saturation 17
Oxygenation state 99

P-Selectin 115
PBPCT 279
PCV 99
Pancytopenia 219, 277
Parathyroid hormone-related peptide 153
Parenteral nutrition 219
Parvovirus injection 277
Phagocytosis 49
Placental blood 273
Plasma volume 177
Platelet aggregometry 155
Platelets 1
Pleural effusion 283
Polymerase chain reaction 261
Priapism 213
Protein C deficiency 213

Recombinant human granulocyte-colony stimulating factor 105
Red blood cell indices 1
Red blood cells 177
Red cell membrane 143
Reticulocyte count 89
Reticulocytes 253
Rh antigens 143
Rh_{null} 143

SF-3000 187
Saponin 249
Screening methods 171
Sea-blue histiocytes 219
Serum-free 61
Sickle cell disease 17
Smoking 177
Specificity 191
Spuncrit™ infra-red analyser 183
Stored blood 89
Strength index 273

T-lymphocytes 53, 231
Thick film 249

Thrombocytopenia 223
Thrombomodulin 115
Thrombophilia 213
Thrombosis 67
Transferrin receptors 93
Treatment 197
Trisomy 11 33
Trisomy 8 33
Tumour necrosis factor-alpha 197

Ultrastructure 153

Vitamin B_{12} 27
von Willebrand Factor 115

Warfarin 203, 231
White blood cells 1